New Jersey Division of HIV/AIDS Services Persons Living with HIV/AIDS as of December 31, 2005 Passaic City Residents

				Adult/Adolescent *		Pedia	Pediatric *			Total		
1.			IDS Category	Cases			Cases				ases	%
	AIDS-Any OI AIDS-CD4 Only HIV Only			83	21 34 45		0 0 6		0 0 0		83 134 181	45
	Total			392			6	10		_	398	100
2.	Curren	Cases	%	3. Rac	e/Eth.		Case		Cases	ક	Tota Cases	al %
	13-19 20-29 30-39 40-49 50+ Unk.	0 6 5 25 79 170 113	1 6 20 43 28 0	Bla His Oth		Hispani own	2 42 2 # # 392	11 # # 	# # 0	0 #	163 191 #	41 48 #
4.	Patien	_				les		Femal	es %	- i		-
	Men ser Inject MSM/ID Hetero	x with ion dru U sexual	men (MSM) g user (IDU) contact*** rted/other***			81 3 8 59 2	8 6 4	4	 0 0 6 28 0 0 4 64 2 7) 3) 4	12	54 16 27 33 8 2 53 42 26 7

	Males	Pediatr %	ic Modified Females	Exposure %	Categories Total	%
Parent at risk/has AIDS/HIV	#	#	#	#	9	90
Risk not reported/other****	#	#	#	#	#	#
Total	#	#	#	#	10	100

226 100

162 100

388

100

NOTE: Includes only those persons known to be infected with HIV.

Total

- Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- Classification based on current age at the end of December 2005.
- 4 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.
- *** Included in this category are persons with no other risk identified
 - who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.
- **** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of December 31, 2005 Passaic City Residents

	Adult/Adolescent*	Pediatric*	Total
1. Disease Category	Cases (%) Deaths (%)	Cases (%) Deaths (%)	Cases (%) Deaths (%)
PCP Other OI w/o PCP KS Alone No Disease Listed	# (#) # (#) # (#) # (#) 10 (2) 8 (80) 237 (40) 96 (41)	# (#) # (#) # (#) # (#) 0 (0) 0 (.) 0 (0) 0 (.)	180 (30) 147 (82) 170 (28) 129 (76) 10 (2) 8 (80) 237 (40) 96 (41)
Total	594 (100) 377 (64)	# (#) # (#)	597 (100) 380 (64)
2. Age * Cases	% 3. Race/Eth.	Adult/Adl* Pediatric* Cases % Cases %	Total Cases %

					1100 0 1 2		1001001		10041	
2.	Age *	Cases	용	Race/Eth.	Cases	용	Cases	용	Cases	용
	Under 5	#	#	White, Not Hispanic	76	13	0	0	76	13
	5-12	#	#	Black, Not Hispanic	#	#	#	#	287	48
	13-19	6	1	Hispanic	#	#	#	#	234	39
	20-29	71	12	Other/Unknown	0	0	0	0	0	0
	30-39	264	44							
	40-49	173	29	Total	594	100	#	#	597	100
	Over 49	80	13							
	Unknown	0	0							
	Total	597	100							

4. I	Patient	Group
------	---------	-------

. Patient Group	Ad	Adult/Adolescent Modified Exposure Categor:						
	Males	%	Females	%	Total	%		
Men sex with men (MSM)	102	25	0	0	102	17		
Injection drug user (IDU)	192	48	77	40	269	45		
MSM/IDU	18	4	0	0	18	3		
Heterosexual contact***	66	16	101	53	167	28		
Risk not reported/other***	24	6	14	7	38	6		
Total	402	100	192	100	594	100		

	Males	Pediat %	tric Modified Females	Exposure %	Categories Total	90
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	0	0	0	0	0
Total	#	#	#	#	#	#

- # indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- Classification at time of AIDS diagnosis.
- ** 0 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.
- *** Included in this category are persons with no other risk identified
 - who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.
- **** Included in this category are persons with transmission categories of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of December 31, 2005 Passaic City Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis	Number of Cases	Number of Deaths	Case-Fatality Rate
Before 1985	7	7	100%
1985	5	5	100%
1986	7	5	71%
1987	29	29	100%
1988	36	35	97%
1989	28	26	93%
1990	43	41	95%
1991	35	33	94%
1992	41	32	78%
1993	40	35	88%
1994	33	23	70%
1995	53	33	62%
1996	51	21	41%
1997	33	19	58%
1998	20	6	30%
1999	21	7	33%
2000	26	6	23%
2001	29	#	#
2002	21	5	24%
2003	16	5	31%
2004	17	#	#
2005	6	0	0%
Total	597	380	64%

New Jersey Division of HIV/AIDS Services HIV INFECTION-not-AIDS Reports with Identifiers Reported as of December 31, 2005 Passaic City Residents

				Adult/A	Adl*	Pediat	ric*	Total	
1. Age *	Cases	%	Race/Ethnicity	Cases	%	Cases	%	Cases	%
Under 5	8	4	White, Not Hispanic	18	9	0	0	18	8
5-12	#	#	Black, Not Hispanic	87	43	8	80	95	45
13-19	7	3	Hispanic	#	#	#	#	98	46
20-29	52	24	Other/Unknown	#	#	#	#	#	#
30-39	75	35							
40-49	50	23	Total	203	100	10	100	213	100
Over 49	19	9							
Unknown	#	#							
Total	213	100							

3. Patient Group	Adult/Adolescent Modified Exposure Categories **								
	Males	%	Females	%	Total	%			
Men sex with men (MSM)	28	25	0	0	28	14			
Injection drug user (IDU)	41	37	29	32	70	35			
MSM/IDU	#	#	0	0	#	#			
Hotorogornal contact***	#	#	#	#	#	#			

		Pe	ediatric Modified	Exposure	Categories	
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	#	#	#	#	10	91
Risk not reported/other***	0	0	#	#	#	#
Total	#	#	#	#	11	100

- * Classification at time of first HIV+ test.
- # indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- ** 1 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.
- *** Included in this category are persons with no other risk identified who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.
- $\ensuremath{^{****}}$ Included in this category are persons with transmission categories of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of December 31, 2005 Passaic City Residents

		Adult/Adolescent *	Ped	Pediatric *			Total			
1.	Current HI	IV/AIDS Ca	tegory	Cases %	Case	s	%	Cases	%	
	AIDS-Any C AIDS-CD4 C HIV Only			# # # # 203 25		- # # 0	 # # 77	377 220 213	47 27 26	
	Total			797 100	1	3	100	810	100	
2.	Age *	Cases	%	3. Race/Eth.	Adult/Ad Cases	dl* %	Pediat Cases	ric* %	To Cases	tal %
	Under 5	11	1	White, Not Hispanic	94	12	0	0	94	12
	5-12	#	#	Black, Not Hispanic	372	47	10	77	382	47
	13-19	16	2	Hispanic	#	#	#	#	332	41
	20-29	151	19	Other/Unknown	#	#	#	#	#	#
	30-39	339	42							
	40-49	200	25	Total	797	100	13	100	810	100
	Over 49	91	11							
	Unknown	#	#							

4. Patient Group	Adult/Adolescent Modified
------------------	---------------------------

Total

810 100

	Males	%	Females	%	Total	%
Men sex with men (MSM)	130	25	0	0	130	16
Injection drug user (IDU)	233	45	106	38	339	43
MSM/IDU	20	4	0	0	20	3
Heterosexual contact***	94	18	156	55	250	31
Risk not reported/other***	37	7	20	7	57	7
Total	514	100	282	100	796	100

Exposure Categories **

I.	Males		Modified Females	-	Categories Total	%
Parent at risk/has AIDS/HIV	5	100	8	89	13	93
Risk not reported/other***	0	0	#	#	#	#
Total	5	100	9	100	14	100

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
 - Classification at time of first HIV+/AIDS diagnosis.
- ** 1 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.
- *** Included in this category are persons with no other risk identified
 - who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.
- **** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of December 31, 2005 Passaic City Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis		Number Known Dead	Case-Fatality Rate
Before 1985	7	7	100%
1985	6	6	100%
1986	8	6	75%
1987	34	30	88%
1988	52	46	88%
1989	47	37	79%
1990	59	51	86%
1991	58	44	76%
1992	73	39	53%
1993	61	28	46%
1994	56	22	39%
1995	53	26	49%
1996	48	17	35%
1997	38	15	39%
1998	29	#	#
1999	29	7	24%
2000	30	5	17%
2001	35	5	14%
2002	32	6	19%
2003	27	8	30%
2004	23	#	#
2005	5	#	#
Total	810	412	51%